

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

岡山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	957.6	21.1	4.9	11.4	10.4	26.5	51.1	38.0	85.2	143.1	217.6	349.1	709.4	1,219.6	1,958.0	2,730.6	3,254.2	3,605.7	3,912.5	-
	口腔・咽頭	C00-C14	26.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	3.7	12.3	4.4	23.6	26.4	53.6	71.0	64.5	72.9	65.7	59.4	-
	食道	C15	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.1	4.4	9.1	37.7	64.3	101.4	121.0	112.5	77.1	65.6	-
	胃	C16	156.1	0.0	0.0	0.0	0.0	4.1	2.2	2.0	3.7	16.9	25.0	47.3	100.0	175.0	330.4	490.3	460.4	680.0	693.8	-
	大腸（結腸・直腸）	C18-C20	138.8	0.0	0.0	0.0	0.0	2.0	0.0	4.0	20.4	26.2	52.9	70.9	164.2	203.6	308.7	380.6	412.5	471.4	459.4	-
	結腸	C18	84.9	0.0	0.0	0.0	0.0	2.0	0.0	2.0	7.4	9.2	36.8	23.6	84.9	110.7	187.0	212.9	279.2	325.7	337.5	-
	直腸	C19-C20	53.9	0.0	0.0	0.0	0.0	0.0	0.0	2.0	13.0	16.9	16.2	47.3	79.2	92.9	121.7	167.7	133.3	145.7	121.9	-
	肝および肝内胆管	C22	52.7	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.7	3.1	8.8	23.6	32.1	58.9	89.9	156.5	168.8	248.6	246.9	-
	胆のう・胆管	C23-C24	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	1.5	0.0	1.9	23.2	20.3	35.5	81.3	82.9	137.5	-
	膵臓	C25	37.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.1	8.8	18.2	18.9	42.9	89.9	109.7	168.8	111.4	115.6	-
	喉頭	C32	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.8	16.1	21.7	19.4	27.1	45.7	34.4	-
	肺	C33-C34	142.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.9	9.2	16.2	40.0	81.1	160.7	281.2	448.4	531.3	534.3	665.6	-
	皮膚	C43-C44	25.3	0.0	0.0	0.0	0.0	0.0	2.2	0.0	3.7	3.1	2.9	12.7	15.1	14.3	27.5	59.7	85.4	102.9	212.5	-
	乳房	C50	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.8	0.0	0.0	3.2	4.2	11.4	15.6	-
	前立腺	C61	148.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	21.8	69.8	176.8	320.3	504.8	631.3	585.7	512.5	-
	膀胱	C67	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	1.5	7.3	5.7	30.4	56.5	59.7	104.2	157.1	140.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	33.8	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.7	1.5	14.7	10.9	30.2	75.0	60.9	85.5	95.8	114.3	153.1	-
	脳・中枢神経系	C70-C72	6.4	0.0	2.4	2.3	0.0	2.0	4.4	4.0	1.9	1.5	8.8	1.8	7.5	7.1	10.1	9.7	27.1	11.4	12.5	-
	甲状腺	C73	8.6	0.0	0.0	0.0	0.0	0.0	4.4	4.0	3.7	3.1	11.8	16.4	15.1	14.3	14.5	21.0	12.5	14.3	9.4	-
	悪性リンパ腫	C81-C85 C96	37.1	5.3	2.4	4.5	0.0	0.0	2.2	6.0	11.1	12.3	22.1	23.6	43.4	53.6	72.5	61.3	114.6	134.3	137.5	-
	多発性骨髄腫	C88-C90	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	7.4	0.0	13.2	8.9	11.6	12.9	16.7	28.6	43.8	-
	白血病	C91-C95	14.0	5.3	0.0	0.0	2.1	4.1	8.9	4.0	5.6	10.8	2.9	7.3	18.9	8.9	26.1	27.4	39.6	34.3	62.5	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

岡山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	658.3	27.0	12.8	17.5	8.9	18.8	51.1	87.8	173.6	309.2	444.1	591.2	669.1	905.2	1,048.6	1,177.1	1,369.5	1,666.7	1,815.3	-
	口腔・咽頭	C00-C14	12.2	0.0	0.0	0.0	0.0	0.0	2.2	4.1	1.9	6.2	7.4	1.8	18.2	15.5	17.6	12.9	28.8	47.1	33.3	-
	食道	C15	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	4.6	1.5	5.3	5.5	1.7	17.6	15.7	16.9	19.6	23.6	-
	胃	C16	66.5	0.0	0.0	0.0	0.0	0.0	2.2	0.0	7.5	10.8	8.8	47.4	29.1	75.9	108.1	141.4	189.8	196.1	222.2	-
	大腸（結腸・直腸）	C18-C20	99.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	15.1	10.8	30.9	64.9	100.0	120.7	177.0	161.4	206.8	300.0	359.7	-
	結腸	C18	73.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	7.5	7.7	19.1	36.8	58.2	75.9	124.3	111.4	159.3	241.2	295.8	-
	直腸	C19-C20	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	3.1	11.8	28.1	41.8	44.8	52.7	50.0	47.5	58.8	63.9	-
	肝および肝内胆管	C22	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.9	3.5	10.9	20.7	21.6	38.6	64.4	90.2	126.4	-
	胆のう・胆管	C23-C24	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.5	0.0	1.8	8.6	23.0	30.0	28.8	72.5	79.2	-
	膵臓	C25	34.8	0.0	0.0	2.5	2.2	0.0	0.0	0.0	0.0	1.5	1.5	12.3	5.5	44.8	56.8	78.6	110.2	103.9	122.2	-
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.7	0.0	1.4	1.7	2.0	1.4	-
	肺	C33-C34	60.2	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.8	9.2	7.4	22.8	29.1	69.0	91.9	131.4	167.8	200.0	208.3	-
	皮膚	C43-C44	19.9	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.6	10.3	7.0	12.7	19.0	13.5	35.7	33.9	66.7	102.8	-
	乳房	C50	137.5	0.0	0.0	0.0	0.0	2.1	8.9	20.4	60.4	146.2	200.0	224.6	205.5	269.0	228.4	245.7	211.9	200.0	156.9	-
	子宮	C53-C55	40.8	0.0	0.0	0.0	0.0	0.0	2.2	8.2	37.7	46.2	80.9	82.5	89.1	77.6	62.2	44.3	40.7	51.0	33.3	-
	子宮頸部	C53	14.9	0.0	0.0	0.0	0.0	0.0	0.0	6.1	28.3	21.5	45.6	19.3	21.8	13.8	21.6	17.1	10.2	13.7	16.7	-
	子宮体部	C54	25.6	0.0	0.0	0.0	0.0	0.0	2.2	2.0	9.4	24.6	35.3	63.2	67.3	63.8	40.5	27.1	30.5	35.3	13.9	-
	卵巣	C56	18.1	0.0	2.6	5.0	0.0	8.3	4.4	8.2	9.4	13.8	20.6	33.3	29.1	32.8	31.1	21.4	30.5	25.5	19.4	-
	膀胱	C67	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.8	3.4	10.8	15.7	15.3	27.5	61.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	18.0	5.4	0.0	0.0	0.0	0.0	0.0	6.1	1.9	12.3	1.5	5.3	20.0	12.1	23.0	44.3	35.6	47.1	66.7	-
	脳・中枢神経系	C70-C72	5.3	8.1	5.1	2.5	2.2	0.0	0.0	4.1	7.5	3.1	2.9	1.8	7.3	5.2	9.5	5.7	15.3	3.9	6.9	-
	甲状腺	C73	22.0	0.0	0.0	0.0	0.0	4.2	13.3	20.4	17.0	20.0	23.5	40.4	25.5	24.1	50.0	40.0	33.9	27.5	15.3	-
	悪性リンパ腫	C81-C85 C96	29.9	2.7	2.6	2.5	0.0	4.2	2.2	0.0	0.0	6.2	20.6	19.3	38.2	50.0	62.2	52.9	76.3	72.5	62.5	-
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.5	0.0	0.0	5.2	2.7	4.3	11.9	31.4	16.7	-
	白血病	C91-C95	9.7	5.4	0.0	5.0	4.4	0.0	6.7	2.0	1.9	1.5	7.4	8.8	9.1	13.8	14.9	17.1	16.9	21.6	23.6	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

岡山県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	802.1	24.0	8.8	14.3	9.7	22.7	51.1	62.6	129.0	226.2	330.9	472.3	688.9	1,059.6	1,487.4	1,906.8	2,215.0	2,455.8	2,460.6	-
	口腔・咽頭	C00-C14	18.8	0.0	0.0	0.0	1.1	0.0	1.1	2.0	2.8	9.2	5.9	12.5	22.2	34.2	43.4	37.1	48.6	54.7	41.3	-
	食道	C15	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.8	2.9	7.1	21.3	32.5	58.0	65.2	59.8	43.0	36.5	-
	胃	C16	109.6	0.0	0.0	0.0	0.0	2.1	2.2	1.0	5.6	13.8	16.9	47.3	63.9	124.6	215.4	305.3	311.2	393.0	367.3	-
	大腸（結腸・直腸）	C18-C20	118.2	0.0	0.0	0.0	0.0	1.0	0.0	3.0	17.8	18.5	41.9	67.9	131.5	161.4	240.6	264.4	299.1	369.8	390.4	-
	結腸	C18	78.7	0.0	0.0	0.0	0.0	1.0	0.0	2.0	7.5	8.5	27.9	30.4	71.3	93.0	154.5	159.1	213.1	275.6	308.7	-
	直腸	C19-C20	39.5	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10.3	10.0	14.0	37.5	60.2	68.4	86.0	105.3	86.0	94.2	81.7	-
	肝および肝内胆管	C22	38.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.9	2.3	5.9	13.4	21.3	39.5	54.5	93.9	111.2	154.7	163.5	-
	胆のう・胆管	C23-C24	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.5	0.0	1.9	15.8	21.7	32.6	52.3	76.7	97.1	-
	膵臓	C25	36.0	0.0	0.0	1.2	1.1	0.0	0.0	0.0	0.9	2.3	5.1	15.2	12.0	43.9	72.7	93.2	136.4	107.0	120.2	-
	喉頭	C32	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.8	8.8	10.5	9.8	13.1	19.8	11.5	-
	肺	C33-C34	99.8	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.8	9.2	11.8	31.3	54.6	114.0	183.2	280.3	330.8	336.0	349.0	-
	皮膚	C43-C44	22.5	0.0	0.0	0.0	0.0	0.0	1.1	1.0	1.9	3.8	6.6	9.8	13.9	16.7	20.3	47.0	57.0	81.4	136.5	-
	乳房	C50	72.3	0.0	0.0	0.0	0.0	1.0	4.4	10.1	29.9	73.1	100.7	114.3	106.5	136.8	118.2	131.8	118.7	123.3	113.5	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	1.5	3.6	3.7	16.7	32.9	36.4	55.1	80.2	85.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	25.6	2.7	0.0	0.0	0.0	0.0	0.0	4.0	2.8	6.9	8.1	8.0	25.0	43.0	41.3	63.6	62.6	74.4	93.3	-
	脳・中枢神経系	C70-C72	5.8	4.0	3.8	2.4	1.1	1.0	2.2	4.0	4.7	2.3	5.9	1.8	7.4	6.1	9.8	7.6	20.6	7.0	8.7	-
	甲状腺	C73	15.5	0.0	0.0	0.0	0.0	2.1	8.9	12.1	10.3	11.5	17.6	28.6	20.4	19.3	32.9	31.1	24.3	22.1	13.5	-
	悪性リンパ腫	C81-C85 C96	33.4	4.0	2.5	3.6	0.0	2.1	2.2	3.0	5.6	9.2	21.3	21.4	40.7	51.8	67.1	56.8	93.5	97.7	85.6	-
	多発性骨髄腫	C88-C90	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	4.4	0.0	6.5	7.0	7.0	8.3	14.0	30.2	25.0	-
	白血病	C91-C95	11.8	5.3	0.0	2.4	3.2	2.1	7.8	3.0	3.7	6.2	5.1	8.0	13.9	11.4	20.3	22.0	27.1	26.7	35.6	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計