

電気伝導率 (μS/cm)

番号	里② (榮橋付近)			里③ (里見橋付近)			道⑤ (堰上流側)		
河川名	(二)里見川			(二)里見川			(二)道口川		
年月日	時刻	表層	底層	時刻	表層	底層	時刻	表層	底層
2025/8/1	15:58	15,600	21,300	16:09	14,000	16,800	16:00	9,850	12,050
2025/8/14	5:50	2,400	3,300	6:10	-	397	6:20	302	296
2025/8/15	9:00	2,920	3,070	8:30	-	524	8:45	884	814
2025/8/18	9:10	4,480	5,860	8:30	4,290	5,670	8:50	3,740	3,820
2025/8/19	9:00	3,860	7,130	8:40	4,470	5,460	9:15	1,246	1,780
2025/8/20	8:47	4,590	5,020	8:30	5,790	5,610	8:58	2,180	2,110
2025/8/21	9:00	6,550	9,370	8:45	5,880	6,710	9:10	3,110	3,970
2025/8/22	8:49	7,350	8,650	8:35	6,610	6,970	9:00	2,890	3,020
2025/8/25	8:55	10,210	10,770	8:40	10,440	10,950	9:05	2,010	3,880
2025/8/26	9:05	7,530	7,690	8:50	9,270	10,820	9:15	2,970	3,970
2025/8/27	9:00	9,890	10,040	9:25	9,680	9,710	9:10	3,210	3,760
2025/8/28	8:50	8,640	9,600	8:30	5,400	6,900	9:00	3,590	6,960
2025/8/29	8:55	8,190	8,620	8:35	6,650	6,690	9:10	2,840	3,420
2025/9/1	9:20	10,860	10,950	8:30	9,960	10,460	9:10	3,960	5,320
2025/9/2	9:20	9,960	11,130	8:30	10,490	10,450	9:10	4,380	3,890
2025/9/3	9:20	9,860	11,410	8:30	9,010	9,950	9:10	2,920	3,830
2025/9/4	9:20	9,960	12,680	8:30	9,140	8,970	9:10	2,430	4,610
2025/9/5	9:20	220	873	8:30	187	281	9:10	1,744	3,020
2025/9/8	9:20	4,970	5,140	8:30	5,590	5,460	9:10	604	633
2025/9/9	9:00	839	3,150	8:30	284	371	9:10	142	1,977
2025/9/10	9:00	693	911	8:30	285	371	9:10	1,431	1,250
2025/9/11	9:00	243	303	8:30	235	238	9:10	670	682
2025/9/12	9:00	295	300	8:30	233	237	9:10	658	682
2025/9/16	8:55	2,680	2,540	8:30	1,520	2,110	9:05	960	1,017
2025/9/17	8:55	1,368	2,530	8:30	1,209	1,281	9:05	891	915
2025/9/18	8:50	3,180	3,180	8:30	890	877	9:00	711	728
2025/9/19	9:20	994	1,274	8:30	309	306	9:05	925	1,003
2025/9/22	8:55	601	976	8:30	232	231	9:10	710	701
2025/9/24	8:50	259	274	8:30	257	259	9:00	395	437
2025/9/25	8:50	283	496	8:30	292	299	9:00	283	280
2025/9/26	9:00	199	216	8:30	199	204	9:10	263	265
2025/9/29	8:55	203	270	8:30	204	206	9:05	372	379
2025/9/30	9:00	231	288	8:30	213	235	9:10	674	1,187
2025/10/1	9:00	1,677	3,890	8:30	1,363	2,190	9:10	722	2,280
2025/10/2	9:00	2,140	6,910	8:30	1,646	2,730	9:10	1,103	2,150

電気伝導率 (μS/cm)

番号	里② (榮橋付近)			里③ (里見橋付近)			道⑤ (堰上流側)		
河川名	(二)里見川			(二)里見川			(二)道口川		
年月日	時刻	表層	底層	時刻	表層	底層	時刻	表層	底層
2025/10/3	9:00	4,030	7,290	8:30	3,690	3,710	9:10	1,448	4,490
2025/10/6	9:00	888	1,319	8:30	258	267	9:10	625	688
2025/10/7	9:00	326	425	8:30	-	359	9:10	470	473
2025/10/8	9:00	1,023	1,551	8:30	309	308	9:10	451	639
2025/10/9	9:00	362	387	8:30	-	341	9:10	527	525
2025/10/10	8:55	369	411	8:30	-	304	9:00	601	607
2025/10/14	9:00	3,210	3,570	8:30	1,121	1,194	9:10	1,725	2,600
2025/10/15	8:50	3,040	4,160	8:30	1,795	1,648	9:00	2,130	2,910
2025/10/16	8:50	3,600	5,340	8:30	1,681	3,090	9:00	1,575	4,610
2025/10/17	8:50	2,800	7,840	8:30	3,420	4,860	9:00	2,700	7,500
2025/10/20	8:50	2,060	3,740	8:30	951	1,325	9:00	2,400	3,480
2025/10/21	9:00	384	1,020	8:30	-	482	9:10	2,510	2,590
2025/10/22	8:55	3,830	4,430	8:30	314	315	9:05	2,610	3,100
2025/10/23	8:50	1,950	3,060	8:30	-	403	9:00	2,720	2,760
2025/10/24	8:55	3,000	3,490	8:30	-	387	9:05	2,770	3,050
2025/10/27	8:50	244	348	8:30	-	280	9:00	1,321	1,395
2025/10/28	8:50	324	505	8:30	-	354	9:00	1,187	1,239
2025/10/29	8:50	1,580	1,660	8:30	-	351	9:00	826	867
2025/10/30	8:50	2,910	2,910	8:30	-	344	9:00	1,284	1,719
2025/10/31	8:55	2,730	3,840	8:30	638	1,665	9:05	977	1,956
2025/11/4	8:50	429	536	8:30	-	416	9:00	534	562
2025/11/5	8:50	390	446	8:30	-	420	9:00	520	545
2025/11/6	8:55	525	574	8:30	-	458	9:05	376	392
2025/11/7	8:55	372	456	8:30	-	398	9:05	394	401
2025/11/10	8:55	305	389	8:30	-	305	9:05	299	306
2025/11/11	9:00	291	293	8:30	-	295	9:10	393	391
2025/11/12	8:50	314	497	8:30	-	311	9:00	410	558
2025/11/13	9:00	556	905	8:30	-	303	9:05	505	583
2025/11/14	8:55	875	1,870	8:30	351	452	9:00	550	1,575
2025/11/17	8:55	3,150	4,630	8:30	1,724	1,712	9:05	1,208	1,342
2025/11/18	8:55	2,100	2,090	8:30	-	568	9:05	1,698	2,100
2025/11/19	8:55	531	631	8:30	-	476	9:05	1,194	1,265
2025/11/20	8:55	520	530	8:30	-	462	9:05	645	653
2025/11/21	9:00	-	513	8:30	-	446	9:05	521	520
2025/11/25	9:00	1,235	1,150	8:30	-	380	9:05	500	491

電気伝導率 (μS/cm)

番号	里② (榮橋付近)			里③ (里見橋付近)			道⑤ (堰上流側)		
河川名	(二)里見川			(二)里見川			(二)道口川		
年月日	時刻	表層	底層	時刻	表層	底層	時刻	表層	底層
2025/11/26	9:00	332	375	8:40	-	321	9:05	696	732
2025/11/27	8:55	1,818	1,850	8:30	-	332	9:00	706	721
2025/11/28	8:50	1,954	2,000	8:30	-	963	9:00	826	1,946
2025/12/1	9:00	2,150	4,800	8:30	1,485	2,730	9:05	1,010	4,030
2025/12/2	8:55	3,410	3,010	8:30	-	435	9:05	2,320	2,440
2025/12/3	8:55	463	521	8:30	-	418	9:00	1,564	1,597
2025/12/4	8:50	-	834	8:30	-	468	9:00	1,129	1,163
2025/12/5	8:55	-	956	8:30	-	480	9:00	866	886
2025/12/8	9:00	-	526	8:30	-	417	9:05	609	612
2025/12/9	8:55	-	523	8:30	-	396	9:00	681	702
2025/12/10	8:50	-	453	8:30	-	397	9:00	1,121	1,135
2025/12/11	8:50	-	1,244	8:30	-	408	8:55	2,180	2,380
2025/12/12	8:55	1,810	2,090	8:30	-	401	9:05	2,390	2,620
2025/12/15	8:55	4,310	5,420	8:30	4,080	4,050	9:05	3,710	4,330
2025/12/16	8:50	5,760	6,240	8:30	-	4,120	9:00	3,620	5,400
2025/12/17	8:55	5,050	5,390	8:30	4,170	4,290	9:05	3,340	3,490
2025/12/18	9:00	2,100	2,530	8:30	-	647	9:05	3,950	4,090
2025/12/19	8:55	3,390	3,520	8:30	-	893	9:00	2,880	2,770
2025/12/22	8:55	-	795	8:30	-	494	9:05	1,091	1,207
2025/12/23	8:50	-	709	8:30	-	460	9:00	1,169	1,176
2025/12/24	8:50	-	725	8:30	-	458	9:00	622	629
2025/12/25	8:50	-	922	8:30	-	431	9:00	608	726
2025/12/26	8:55	-	317	8:30	-	305	9:05	1,105	1,123
2026/1/5	9:00	-	655	8:30	-	474	9:10	640	654
2026/1/6	9:00	-	830	8:30	-	461	9:05	541	565
2026/1/7	8:55	-	517	8:30	-	474	9:05	476	493
2026/1/8	8:50	-	3,910	8:30	-	485	9:00	636	666
2026/1/9	8:50	-	4,010	8:30	-	459	9:00	798	1,128
2026/1/13	8:50	3,480	5,110	8:30	-	3,150	9:00	2,510	5,600
2026/1/14	8:50	4,070	4,560	8:30	-	4,100	9:00	2,950	6,080
2026/1/15	8:50	4,060	4,730	8:30	-	760	9:00	4,100	4,610
2026/1/16	8:55	4,070	4,400	8:30	-	2,770	9:05	3,270	3,690
2026/1/19	8:55	-	943	8:30	-	647	9:00	1,470	1,503
2026/1/20	8:55	-	640	8:30	-	513	9:00	1,462	1,473
2026/1/21	9:00	-	659	8:30	-	517	9:05	1,076	1,083

電気伝導率 (μ S/cm)

番号	里② (榮橋付近)			里③ (里見橋付近)			道⑤ (堰上流側)		
河川名	(二)里見川			(二)里見川			(二)道口川		
年月日	時刻	表層	底層	時刻	表層	底層	時刻	表層	底層
2026/1/22	8:55	-	747	8:30	-	486	9:00	998	1,005
2026/1/23	8:55	-	525	8:30	-	456	9:00	709	757
2026/1/26	8:55	3,630	3,750	8:30	-	443	9:00	1,712	1,888
2026/1/27	8:55	3,480	3,570	8:30	-	765	9:00	1,778	1,923
2026/1/28	8:55	3,260	3,100	8:30	-	3,330	9:00	1,727	2,170
2026/1/29	8:55	2,890	3,260	8:30	-	538	9:00	1,235	1,331
2026/1/30	8:55	2,370	2,760	8:30	-	410	9:00	2,040	2,220
2026/2/2	8:55	-	2,430	8:30	-	513	9:00	1,813	2,070
2026/2/3	8:50	-	4,000	8:30	-	483	9:00	1,824	1,892
2026/2/4	8:50	-	4,440	8:30	-	495	8:55	2,330	3,340
2026/2/5	8:50	-	1,173	8:30	-	523	9:00	1,548	1,626
2026/2/6	8:50	-	2,830	8:30	-	507	8:55	2,320	2,420
2026/2/9	8:50	4,960	5,250	8:30	-	1,046	9:00	4,220	5,570
2026/2/10	8:50	4,200	4,370	8:30	-	1,926	8:55	3,450	3,790
2026/2/12	8:50	3,070	6,340	8:30	-	870	9:00	3,660	6,040
2026/2/13	8:55	2,230	4,320	8:30	2,580	2,730	9:00	3,040	3,760
2026/2/16	8:50	-	1,471	8:30	-	577	9:00	2,940	3,030
2026/2/17	9:00	-	795	8:30	-	462	9:05	1,781	1,976
2026/2/18	8:50	-	591	8:30	-	486	9:00	748	720
2026/2/19	8:55	-	542	8:30	-	474	9:00	551	599
2026/2/20	8:50	-	659	8:30	-	485	9:00	536	551
2026/2/24	8:55	3,630	4,250	8:30	-	447	9:00	1,816	2,010
2026/2/25	8:50	146	264	8:30	150	156	9:00	2,630	3,390
2026/2/26	8:50	316	576	8:30	-	310	9:00	659	931
2026/2/27	8:50	393	1,116	8:30	-	322	8:55	605	1,303
2026/3/2	9:00	-	427	8:30	-	416	9:15	525	529
2026/3/3	8:50	-	301	8:30	-	293	9:00	451	452
2026/3/4	8:55	-	298	8:30	-	265	9:00	682	691
2026/3/5	8:50	356	382	8:30	-	315	9:00	732	736
2026/3/6	8:50	436	434	8:30	-	542	8:55	435	445
2026/3/9	8:50	-	496	8:30	-	450	9:00	469	466
2026/3/10	8:50	-	754	8:30	-	406	9:00	503	503
2026/3/11	8:50	-	732	8:30	-	415	9:00	785	861
2026/3/12	8:55	830	993	8:30	-	399	9:00	670	771
2026/3/13	8:50	1,573	1,885	8:30	-	419	9:00	667	1,730

電気伝導率 ($\mu\text{S}/\text{cm}$)

番号	里② (榮橋付近)			里③ (里見橋付近)			道⑤ (堰上流側)		
河川名	(二) 里見川			(二) 里見川			(二) 道口川		
年月日	時刻	表層	底層	時刻	表層	底層	時刻	表層	底層
2026/3/16	8:50	1,868	1,626	8:30	-	435	9:00	1,035	1,193
2026/3/17	8:55	-	498	8:30	-	452	9:00	703	768
2026/3/18	8:50	-	504	8:30	-	471	8:55	644	650
2026/3/19	8:50	-	305	8:30	-	282	8:55	749	748
2026/3/23	8:50	-	376	8:30	-	368	9:00	704	778
2026/3/24	8:55	381	393	8:30	-	377	9:00	524	576
2026/3/25	8:50	-	407	8:30	-	401	9:00	436	490
2026/3/26	8:50	228	230	8:30	-	230	9:00	912	1,060
2026/3/27	8:55	321	337	8:30	-	317	9:00	803	861
2026/3/30	8:55	505	518	8:30	-	391	9:00	606	641
2026/3/31	8:55	386	565	8:30	349	369	9:00	716	874

※電気伝導率：一般的に溶け込んでいる物質質量に応じて電気が通り易い性質を利用した調査で、特に塩化ナトリウム濃度濃度とはリニアな関係を示すことが多く、塩類調査の目安となる。

※農業用水の目安： $300\mu\text{S}/\text{cm}$